

Simeda® compatibility List Implants Platforms

Simeda® restorations are warranted under the general warranty terms and conditions defined in the Serenity® program, taking into account the warranty limitations outlined in the "Custom Denture Design Manual" and listed below.

Our libraries are available with :
3Shape; DentalWings; Exocad,

Material
Ti : Titanium
TiA: Additive Titanium
Co: Cobalt Chromium
Zi : Zirconia

Warranty limits

1 : No warranty in Zirconia
2 : Not recommended for plural retained frames
3 : Model shipment mandatory

Updated on : 12 March 2024



Simeda® at your service
 You have a job to do from a digital from a digital print and you are looking looking for compatibility with an original original scan body
Please contact us!
 Every day we develop new new compatibilities every day.

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Accessories references for IOS SIMEDA Anthogyr		Compatibility				
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Warranty limits	Single unit	Kit	Digital Transfer	Analog for printed model	Replica	Original Screws on straight channel	Available screws on straight channel		
			Indexed	Rotational	Rotational	AA Tool										
Anthogyr	AXIOM® TL/BL inLink N/4.0	156-01	-	Ti TiA Co Zi	Ti TiA Co Zi	Anthogyr	-	156-0x-SAO	151-02-KIT	156-01-DT-IL	156-01-PA	TA100-N	ILL110	✓		
	AXIOM® TL/BL inLink R/4.8	156-02	-	Ti TiA Co Zi	Ti TiA Co Zi	Anthogyr	-			156-02-DT-IL	156-02-PA	TA100-R	ILL110	✓		
	AXIOM® TL (plural) N/4.0	156-05	-	Ti Co TiA Zi	Ti TiA Co Zi	Anthogyr	-			156-01-DT-IL	156-01-PA	TA100-N	TS160P	✓		
	AXIOM® TL (plural) R/4.8	156-06	-	Ti Co TiA Si	Ti TiA Co Zi	Anthogyr	-			156-01-S-MDT	156-02-PA	TA100-R	TS160P	✓		
	AXIOM® TL (plural) N/4.0 - Flexibase®	156-05	-	Zi	-	-	-			156-02-DT-IL	156-01-PA	TA100-N	TS160P	-	-	-
	AXIOM® TL (plural) R/4.8 - Flexibase®	156-06	-	Zi	-	-	-			156-01-DT-IL	156-01-PA	TA100-N	TS160	✓		
	AXIOM® TL (single) N/4.0	156-01	Ti Co	-	-	-	-			156-01-S-MDT	156-02-PA	TA100-R	TS160	✓		
	AXIOM® TL (single) R/4.8	156-02	Ti Co	-	-	-	-			156-02-DT	156-02-PA	TA100-R	TS160	✓		
	AXIOM® TL (single) N/4.0 - Flexibase®	156-01	Co Zi	-	-	-	-			156-02-S-MDT	156-01-PA	TA100-N	TS160	✓		
	AXIOM® TL (single) R/4.8 - Flexibase®	156-02	Co Zi	-	-	-	-			156-01-DT	156-02-PA	TA100-R	TS160	✓		
	AXIOM® TL (single) N/4.0 - AxIN®	156-01	Zi	-	Zi	Anthogyr	-	156-01-S-MDT	156-01-PA	TA100-N	-	✓				
	AXIOM® TL (single) R/4.8 - AxIN®	156-02	Zi	-	Zi	Anthogyr	-	156-02-DT	156-02-PA	TA100-R	-	✓				
	AXIOM® BL REG/PX/X3	152-27	Ti Co	-	-	-	-	152-27-DT	152-27-PA	OPIA100	OPTS160	✓				
	AXIOM® BL REG/PX/X3 - Flexibase®	152-27	Co Zi	-	-	-	-	152-27-MDT	152-27-PA	OPIA100	OPTS160	✓				
	AXIOM® BL REG/PX/X3 - AxIN®	152-27	Zi	-	Zi	Anthogyr	-	152-27-DT	152-27-PA	OPIA100	-	✓				
	AXIOM® BL Multi Unit R/4.8	151-03	-	Ti TiA Co Zi	Ti TiA Co Zi	Anthogyr	-	151-03-SAO	151-03-PA	MUA100	MU140	✓				
	AXIOM® BL Multi Unit N/4.0	151-04	-	Ti TiA Co Zi	T TiA Co Zi	Anthogyr	-	151-04-SAO	151-04-PA	MUNA100	MU140	✓				
	AXIOM® BL Multi Unit R/4.8 - Flexibase®	151-03	-	Zi	-	-	-	151-03-SAO	151-03-PA	MUA100	MU140	✓				
	AXIOM® BL Multi Unit N R/4.0 - Flexibase®	151-04	-	Zi	-	-	-	151-04-SAO	151-04-PA	MUNA100	MU140	✓				
	AXIOM® BL Conical 4	151-01	-	Ti TiA Co Zi	-	-	-	151-01-SAO	-	OPAC700	OPAC140	✓				
	AXIOM® BL Angulated 4.8	151-02	-	Ti TiA Co Zi	-	-	-	151-02-SAO	-	OPAC700	OPAC140	✓				
	OSSFIT® Oi 4.8	154-48	Ti Co Zi	-	-	-	3	-	-	OSAN001	OSTI001A	✓				
	OSSFIT® Oi 6.5	154-65	Ti Co Zi	-	-	-	3	-	-	OSAN002	OSTI001A	✓				
	OSSFIT® pilier conique 4.8	154-01	-	Ti Co Zi	-	-	3	-	-	OSAN003	OITI002A	✓				
	OSSFIT® pilier conique 6.5	154-02	-	Ti Co Zi	-	-	3	-	-	OSAN004	OITI002A	✓				
	ANTHOFIT® HE 4.1	153-41	Ti Co Zi	Ti TiA Co Zi	-	-	-	153-41-SA	-	HEAN001	OITI001A	✓				
	ANTHOFIT® HE 5.0	153-50	Ti Co Zi	Ti Co Zi	-	-	-	153-41-SA	-	HEAN002	OITI001A	✓				
	ANTHOFIT® HE Conical 4.1	153-01	-	Ti Co Zi	-	-	-	153-01-SAO	-	HEAN005	OITI002A	✓				
	ANTHOFIT® HE Conical 5.0	153-02	-	Ti Co Zi	-	-	-	153-02-SAO	-	HEAN006	OITI002A	✓				
	ANTHOFIT® Oi 3.5	155-35	Ti Co Zi	Ti Co Zi	-	-	-	155-35-SA	-	OIAN001	OITI001A	✓				
	ANTHOFIT® Oi 4.0	155-40	Ti Co Zi	Ti Co Zi	-	-	-	155-35-SA	-	OIAN002	OITI001A	✓				
	ANTHOFIT® Oi 5.0	155-50	Ti Co Zi	Ti Co Zi	-	-	-	155-35-SA	-	OIAN003	OITI001A	✓				
	ANTHOFIT® Oi Conical 3.5	155-01	-	Ti Co Zi	-	-	3	-	-	OIAN004	OITI002A	✓				
	ANTHOFIT® Oi Conical 4.0	153-01	-	Ti Co Zi	-	-	-	153-01-SAO	-	OIAN005	OITI002A	✓				
	ANTHOFIT® Oi Conical 5.0	153-02	-	Ti Co Zi	-	-	-	153-02-SAO	-	OIAN009	OITI002A	✓				

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility		
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool								Warranty limits
Neodent®	GM Implant Level 3.5 / 3.75	103-30	Ti Co	Ti TIA Co	-	-	-	-	✓	✓	101.103	116.285	✓	
	GM Implant Level 4.0 / 4.3				-	-	-	-	✓	✓	101.089			
	GM Implant Level 5.0 / 6.0				-	-	-	-	✓	✓	101.090			
	GM / CM Abutment Micro 3.5	103-35	-	Ti TIA Co	-	-	-	-	✓	✓	101.091	116.270	✓	
GM / CM Abutment Mini 4.8	103-48	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	-	✓	✓	101.020	116.227	✓		
Straumann®	Tissue Level - NNC	021-39	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	✓	✓	048.127	U : 048.313 P : 025.2926	✓	
	SynOcta® - RN	021-48	Ti Co Zi	Ti TIA Co Zi	(Max 20°)	Straumann	-	021-48-SA	021-01-KIT	✓	✓	048.124	048.356	✓
	SynOcta® - WN	021-65	Ti Co Zi	Ti TIA Co Zi	(Max 20°)	Straumann	-	021-65-SA	-	✓	✓	048.171	048.356	✓
	SynOcta® 1.5 - Multi RN	023-48	-	Ti TIA Co Zi	-	-	3	-	-	✓	✓	048.108	048.350	✓
	SynOcta® 1.5 - Multi WN	023-65	-	Ti TIA Co Zi	-	-	3	-	-	✓	✓	048.872	048.350	✓
	Bone Level - SC	022-30	Ti	Ti TIA Co	-	-	2	-	-	✓	✓	025.0023	025.0031	✓
	Bone Level® - NC	022-33	Ti Co	Ti TIA Co Zi	(Max 20°)	Straumann	2	022-33-SA	022-01-KIT	✓	✓	025.2101	U :025.2900 P: 025.2926	✓
	Bone Level® - RC	022-41	Ti Co	Ti TIA Co Zi	(Max 20°)	Straumann	2	022-41-SA	-	✓	✓	025.4101	U :025.4900 P: 025.2926	✓
	Bone Level® - SRA NC ø3.5	026-01	-	Ti TIA Co	(Max 25°)	Anthogyr	-	026-01-SA	-	✓	✓	023.2754	023.4763	✓
	Bone Level® - SRA NC ø3.5 AS Straumann	026-11	-	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓			✓
	Bone Level® - SRA NC/RC RB/WB ø4.6	026-02	-	Ti TIA Co Zi	(Max 25°)	Anthogyr	-	026-02-SA	-	✓	✓	023.4756	065.0036	✓
	Bone Level® - SRA NC/RC RB/WB ø4.6 AS Straumann	026-12	-	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓			✓
	BLX® RB/WB	027-27	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓	065.0021	065.0036	✓
	BLX® WB	027-41	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓	065.0022	-	✓
	TLX® NT	028-35	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓	036,0100	036.3110	✓
	TLX® RT	028-48	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓	036,0102		✓
TLX® WT	028-65	Ti	Ti TIA Co	(Max 20°)	Straumann	-	-	-	✓	✓	036,1100	✓		
Alpha Bio®	SPI/DFI/ATID 3.75	261-37	Ti Co Zi	-	-	-	3	-	-	-	-	5080	STLAS	-
	Multi Unit HBC	262-01	-	Ti Co Zi	-	-	3	-	-	-	-	8030	6090	-
	Multi Unit TCT (NEW)	262-11	-	Ti Co Zi	-	-	3	-	-	-	-	5211	6092	✓
Bego®	Semados® - 3.2/3.7	061-32	Ti Co Zi	Ti Co Zi	-	-	3	-	-	✓	✓	53996	57031	-
	Semados® - 4.1	061-41	Ti Co Zi	Ti Co Zi	-	-	3	-	-	✓	✓	55747	57031	-
	Semados® - 4.5	061-45	Ti Co Zi	Ti Co Zi	-	-	3	-	-	✓	✓	55748	57031	-
	Semados® - 5.5	061-55	Ti Co Zi	Ti Co Zi	-	-	3	-	-	✓	✓	56502	57031	-
Biomet 3i®	External Hex® - 3.4	041-34	Ti Co Zi	Ti Co Zi	-	-	-	041-34-SA	040-01-KIT	✓	✓	MMILA	UNIHG	✓
	External Hex® - 4.1	041-41	Ti Co Zi	Ti Co Zi	-	-	-	041-XX-SA		✓	✓	ILA20	UNIHG	✓
	External Hex® - 5.0	041-50	Ti Co Zi	Ti Co Zi	-	-	-	041-XX-SA		✓	✓	ILAWS	UNIHG	✓
	External Hex® - 6.0	041-60	Ti Co Zi	Ti Co Zi	-	-	-	041-XX-SA		✓	✓	ILAW6	UNIHG	✓
	Certain® - 3.4	042-34	Ti Co Zi	Ti TIA Co Zi	-	-	-	042-34-SA		✓	✓	IMMILA	IUNIHG	✓
	Certain® - 4.1	042-41	Ti Co Zi	Ti TIA Co Zi	-	-	-	042-XX-SA		✓	✓	ILA20	IUNIHG	✓
	Certain® - 5.0	042-50	Ti Co Zi	Ti Co Zi	-	-	-	042-XX-SA	✓	✓	ILAWS	IUNIHG	✓	
	Certain® - 6.0	042-60	Ti Co Zi	Ti Co Zi	-	-	-	042-XX-SA	✓	✓	ILAW6	IUNIHG	✓	
	Conical - 3.4	043-34	-	Ti Co Zi	-	-	-	043-34-SAO	043-01-KIT	-	-	MMCLA	GSH30	✓
	Conical - 4.1/5.0	043-41	-	Ti Co Zi	-	-	-	043-41-SAO		-	-	CLA20	GSH30	✓
	Conical - 6.0	043-60	-	Ti Co Zi	-	-	-	043-60-SAO		-	-	WCCLA6	GSH30	✓
	Low profile - 4.8	044-48	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	044-48-SAO		-	-	LPCLA	LPCTSH	✓
	IOL - 4.5	045-01	-	Ti Co Zi	-	-	-	045-01-SAO		-	-	IOLLAS	GSH30	✓

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility		
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool								Warranty limits
BIOTECH®	Bis & Bis Conic® - 3.6	091-36	Ti Co Zi	Ti Co	-	-	-	-	-	-	DI36	VT63	✓	
	Bis & Bis Conic® - 3.9	091-39	Ti Co Zi	Ti Co Zi	-	-	-	-	-	-	A004	M000	✓	
	Bis & Bis Conic® - 4.4	091-44	Ti Co Zi	Ti Co Zi	-	-	-	-	-	-	A006	M000	✓	
	Bis & Bis Conic® - 5.4	091-54	Ti Co Zi	Ti Co Zi	-	-	-	-	-	-	A054	M000	✓	
	Embase® 3.0/3.6/3.9/4.4	094-01	-	Ti Co Zi	-	-	-	-	-	-	E008	E007	-	
	Embase® 5.0	094-02	-	Ti Co Zi	-	-	-	-	-	-	E5408	E007	-	
	Kontakt® - 3.0	093-30	Ti Co	-	-	-	-	093-30-SAA	-	-	K30DI	K30VP	✓	
	Kontakt® 3.6/4.2/4.8/5.4	093-36	Ti Co	-	-	-	-	093-36-SAA	093-01-KIT	-	KDI	KVP	✓	
	Embase® 4.9	093-01	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	093-01-SAO	-	-	EAAP	EAVGC	✓	
Embase® 4.0 Narrow	093-02	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	093-02-SAO	093-02-KIT	-	KECEEAAP	KECEAVGC	✓		
BREDENT®	SKY esthetic abutment blue	340-02	Ti Co	-	-	-	-	340-02-SA	-	✓	✓	SKY-IA40	SKY-PS22	✓
	SKY Uni-cone	341-01	-	Ti Co	-	-	-	341-01-SAO	-	-	-	SKYUCTLA	SKYFFSPK	✓
	SKY Fast and fixed	341-02	-	Ti TIA Co	-	-	-	341-02-SAO	-	-	-	SKYFFTLA	SKYFFSPK	✓
	MiniSKY MD-Abutment	342-01	Ti Co	-	-	-	-	342-01-SA	-	-	-	m2SKYXIA	m2SKYS22	✓
CAMLOG®	ScrewLine® 3.3	191-33	Ti	Ti Co Zi	-	-	-	191-33-SA	-	✓	✓	K3010.3300	J4005.1601	✓
	ScrewLine® 3.8	191-38	Ti	Ti Co Zi	-	-	-	191-38-SA	-	✓	✓	K3010.3800	J4005.1601	✓
	ScrewLine® 4.3	191-43	Ti	Ti Co Zi	-	-	-	191-43-SA	191-01-KIT	✓	✓	K3010.4300	J4005.1601	✓
	ScrewLine® 5.0	191-50	Ti	Ti Co Zi	-	-	-	191-XX-SA	-	✓	✓	K3010.5000	J4005.2001	✓
	ScrewLine® 6.0	191-60	Ti	Ti Co Zi	-	-	-	191-XX-SA	-	✓	✓	K3010.6000	J4005.2001	✓
	CONOLOG® 3.3	194-33	Ti	-	-	-	-	194-33-SAA	-	-	-	C3010.3300	C4005.1601	✓
	CONOLOG® 3.8	194-38	Ti	-	-	-	-	194-38-SAA	194-01-KIT	-	-	C3010.3800	C4005.1601	✓
	CONOLOG® 4.3	194-43	Ti	-	-	-	-	194-38-SAA	-	-	-	C3010.4300	C4005.1601	✓
	CONOLOG® 5.0	194-50	Ti	-	-	-	-	194-50-SAA	-	-	-	C3010.5000	C4005.2001	✓
	Bar abutment 3.3/3.8/4.3	192-01	-	Ti TIA Co Zi	-	-	-	192-01-SAO	-	✓	✓	J3020.4300	J4012.1601	-
	Bar abutment 5.0/6.0	192-02	-	Ti Co Zi	-	-	-	192-02-SAO	192-01-KIT	-	-	J3020.6000	J4012.2001	-
	Vario SR® 3.3/3.8/4.3	193-01	-	Ti Co Zi	-	-	-	193-01-SAO	-	-	-	J2567.4300	J4005.2004	✓
Vario SR® 5.0/6.0	193-02	-	Ti Co Zi	-	-	-	193-02-SAO	-	-	-	J2567.6000	J4005.2004	✓	
Dentsply® Astra	Astra OsseoSpeed® - 3.0	031-30	Ti Co	Ti TIA Co Zi	-	-	2	031-30-SA	-	✓	✓	24977	24189	✓
	Astra OsseoSpeed® - 3.5/4.0	031-35	Ti Co	Ti TIA Co Zi	-	-	2	031-35-SA	031-01-KIT	✓	✓	24978	24449	✓
	Astra OsseoSpeed® - 4.5/5.0	031-45	Ti Co	Ti TIA Co Zi	-	-	2	031-45-SA	-	✓	✓	24979	24209	✓
	Astra Uni 20	032-01	-	Ti TIA Co Zi	-	-	-	032-01-SAO	032-01-KIT	✓	✓	22069	22435	✓
	Astra Uni 45	032-02	-	Ti TIA Co Zi	-	-	-	032-02-SAO	-	✓	✓	22070	22435	✓
	Astra Uni Angulated	032-03	-	Ti Co	-	-	3	-	-	-	-	24227	24435	✓
	Astra EV -3.0	033-30	Ti	-	-	-	-	033-30-SA	-	✓	✓	25543	25203	✓
	Astra EV -3.6	033-36	Ti Co	-	-	-	-	033-36-SA	-	✓	✓	25544	25204	✓
	Astra EV -4.2	033-42	Ti Co	-	-	-	-	033-42-SA	-	✓	✓	25545	25205	✓
	Astra EV -4.8	033-48	Ti Co	-	-	-	-	033-48-SA	-	✓	✓	25546	25206	✓
	Astra EV -5.4	033-54	Ti Co	-	-	-	-	033-54-SA	-	✓	✓	25547	25207	✓
	Astra uni abutment EV	034-01	-	Ti TIA Co	-	-	-	034-01-SAO	-	✓	✓	25615	25481	✓
	Astra Angled EV	034-02	-	Ti Co	-	-	-	034-02-SAO	-	-	-	25652	25481	✓
	Astra Multibase Angulated EV	034-03	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	013-43-SAO	013-01-KIT	✓	✓	68012238	68012233	✓

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility			
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Warranty limits	Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool									
Dentsply® Xive/Ankylos	XIVE S & FRIALIT - 3.0	144-30	Ti Co Zi	Ti TIA Co Zi	-	-	1	144-30-SA	144-01-KIT	✓	✓	45-4020	46-4304	✓	
	XIVE S & FRIALIT - 3.4	144-34	Ti Co Zi	Ti TIA Co Zi	-	-	1	144-34-SA		✓	✓	45-4030	46-4305	✓	
	XIVE S & FRIALIT - 3.8	144-38	Ti Co Zi	Ti TIA Co Zi	-	-	-	144-38-SA		✓	✓	45-4040	46-4305	✓	
	XIVE S & FRIALIT - 4.5	144-45	Ti Co Zi	Ti TIA Co Zi	-	-	-	144-X5-SA		✓	✓	45-4050	46-4305	✓	
	XIVE S & FRIALIT - 5.5	144-55	Ti Co Zi	Ti TIA Co Zi	-	-	-	144-X5-SA		✓	✓	45-4060	46-4305	✓	
	XIVE S & FRIALIT - 6.5	144-65	Ti Co Zi	Ti TIA Co Zi	-	-	-	144-X5-SA		✓	✓	45-4060	46-4305	✓	
	XIVE® MP FRIADENT Grey/Yellow	145-38	-	Ti TIA Co Zi	-	-	-	14X-XX-SAO		-	-	46-4040	46-4300	-	
	XIVE® MP FRIADENT Blue	145-45	-	Ti TIA Co Zi	-	-	-	14X-XX-SAO		-	-	46-4050	46-4300	-	
	XIVE® MP FRIADENT Red	145-55	-	Ti TIA Co Zi	-	-	-	14X-XX-SAO		-	-	46-4060	46-4300	-	
	XIVE® TG	146-01	-	Ti TIA Co Zi	-	-	-	14X-XX-SAO		-	-	25-4010	46-4300	-	
	Ankylos® Base C/Narrow	142-02	-	Ti TIA Co Zi	-	-	-	142-02-SAO	-	-	31045332	31056022	-		
Ankylos® Base C	142-11	-	Ti TIA Co Zi	-	-	3	-	-	-	34.045.270	31056021	-			
etk®	Naturactis. Naturall+. Natea+® 3.0	303-30	Ti Co	-	-	-	-	-	-	✓	✓	NLA H30	NPV 31	-	
	Naturactis. Naturall+. Natea+® 3.5	303-35	Ti Co	-	-	-	-	-	-	✓	✓	NLA H35	NPV 35	✓	
	Naturactis Conical Abutment Straight®	304-02	-	Ti Co	-	-	-	-	-	✓	✓	NPV HP 4X	NPVVP1856	-	
	Naturactis Conical Abutment Angulate®	304-03	-	Ti TIA Co	Ti TIA Co	Anthogyr	-	-	-	✓	✓	NPV HPA 38	NPVPA1440	-	
	Naturall, Natea RP (old)	307-35	Ti Co	Ti Co	-	-	2,3	-	-	-	-	NLA H4X	NVP 4X	-	
Conical Abutment Tetra®4.8	304-01	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	-	-	✓	✓	UPV HM 48	UPVVM1438	✓		
GLOBAL D SERF®	EVL® - 3.3	351-33	Ti Co Zi	Ti Co Zi	-	-	-	351-33-SA	351-01-KIT			DIEVL33	VPEG3.3	✓	
	EVL® - 4.0	351-40	Ti Co Zi	Ti TIA Co Zi	-	-	-	351-X0-SA		✓	✓	DIEVL4 SA	VPEG45SA	✓	
	EVL® - 5.0	351-50	Ti Co Zi	Ti Co Zi	-	-	-	351-X0-SA		✓	✓	DIEVL5 SA	VPEG45SA	✓	
	Clinic® - 3.4	352-34	Ti Co	-	-	-	-	352-34-SA		✓	✓	DIECL E3.4	VEA30TR	✓	
	Clinic® - 4.0 & 4.8	352-40	Ti Co	-	-	-	-	352-40-SA	✓	✓	DIECL E4	VEA30TR	✓		
	Multi E® - 3.3	354-33	-	Ti Co Zi	-	-	-	354-XX-SAO	353-01-KIT			MULTIDIE33	MINI VIS	-	
	Multi E® - 4.0	354-40	-	Ti TIA Co Zi	-	-	-	354-XX-SAO		✓	✓	MULTI DIE4	VMU12TM20	-	
	Multi E® - 5.0	354-50	-	Ti Co Zi	-	-	-	354-XX-SAO		✓	✓	MULTI DIE5	VMU12TM20	-	
	EVL® Compact - 3.3	355-33	Ti Co Zi	Ti Co Zi	-	-	-	355-XX-SA		✓	✓	DIE EVLC33	MINI VIS	-	
	EVL® Compact - 4.0	355-40	Ti Co Zi	Ti Co Zi	-	-	-	355-XX-SA		✓	✓	DIE EVLC4	VMU12TM20	-	
	EVL® Compact - 5.0	355-50	Ti Co Zi	Ti Co Zi	-	-	-	355-XX-SA		✓	✓	DIE EVLC5	VMU12TM20	-	
	Multi Angulated ST - 5.2	353-01	-	Ti Co Zi	-	-	-	353-0X-SAO		✓	✓	-	VMU12TM16	-	
	Multi Angulated WD - 6	353-02	-	Ti Co Zi	-	-	-	353-0X-SAO		✓	✓	-	VMU12TM16	-	
	GLOBAL D TEKKA®	InKone Universal 3.5/4/5/6.5	361-35	Ti Co	-	-	-	-		361-35-SAA	361-01-KIT			DACI	DVPCI
InKone multi straight		362-01	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	362-01-SAO		✓		✓	DAINK4.3	DVPIPK	-
InKone multi angled		362-02	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	362-02-SAO	✓	✓	DAAOF	DVPAOF	-		
Hexacolor® Orange		363-01	Ti Co Zi	-	-	-	-	363-01-SA	✓	✓	DACR3.6	DVPQP	✓		
Hexacolor® Green		363-02	Ti Co Zi	-	-	-	-	-	✓	✓	DAP3.4	DVPQP	✓		
Hexacolor® Yellow		363-03	Ti Co Zi	-	-	-	-	-	✓	✓	DAP4	DVPQP	✓		
Hexacolor® Purple		363-04	Ti Co Zi	-	-	-	-	363-03-SA	✓	✓	DAP4.5	DVPQP	✓		
Hexacolor® Blue		363-05	Ti Co Zi	-	-	-	-	-	✓	✓	DAP5	DVPQP	✓		
Hexacolor® Grey		363-06	Ti Co Zi	-	-	-	-	-	✓	✓	DAP6	DVPQP	✓		
Hexacolor®ConiqueOrange		364-01	-	Ti Co Zi	-	-	-	-	✓	✓	DAICR3.6	DVPIP	✓		
Hexacolor®Conique Vert		364-02	-	Ti Co Zi	-	-	-	-	✓	✓	DAIP3.4	DVPIP	✓		
Hexacolor®Conique Jaune		364-03	-	Ti Co Zi	-	-	-	-	✓	✓	DAIP4	DVPIP	✓		
Hexacolor®Conique Violet		364-04	-	Ti Co Zi	-	-	-	-	✓	✓	DAIP4.5	DVPIP	✓		
Hexacolor®Conique Bleu		364-05	-	Ti Co Zi	-	-	-	-	✓	✓	DAIP5	DVPIP	✓		
Quattro®		365-01	-	Ti TIA Co Zi	-	-	-	-	365-01-SAO	✓	✓	DAAOFP	DVPAOFP	-	
Quattro® Old		365-02	-	Ti Co Zi	-	-	3	-	-	-	-	-	-	-	

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility			
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA			Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool	Warranty limits								
IDI	ID BIO / MAX / OT - 4.0	291-40	Ti Co Zi	-	-	-	-	3	-	-			2340	914C	-
	ID BIO / MAX / OT - 4.4	291-44	Ti Co Zi	-	-	-	-	3	-	-			423	914C	-
	ID BIO / MAX / OT - 4.9	291-49	Ti Co Zi	-	-	-	-	3	-	-			523	914C	-
	ID BIO / MAX / OT - 6.6	291-66	Ti Co Zi	-	-	-	-	3	-	-			623	914C	-
MEGAGEN	AnyRidge® Multi-Unit	381-43		Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr				✓	✓				
MIS®	Bicom Seven® Narrow	131-31	Ti Co Zi	Ti Co Zi	-	-	-	-	131-31-SA	131-01-KIT			MN-RSM10	MN-S0160	✓
	Standcom Seven® Standard	131-37	Ti Co Zi	Ti Co Zi	-	-	-	-	131-37-SA				MD-RSM10	MD-S0220	✓
	Bicom Seven® Wide	131-44	Ti Co Zi	Ti Co Zi	-	-	-	-	131-44-SA				MW-RSM10	MD-S0220	✓
	Multi Unit Standard	132-01	-	Ti TIA Co Zi	-	-	-	-	132-01-SAO			MA-RSM10	MM-S0330	✓	
	C1 NP ø3.3	133-33	Ti	-	-	-	-	-	133-33-SAA	-			CN-RSM10	MN-S0160	✓
	V3 / C1 SP ø3.75	133-37	Ti	-	-	-	-	-	133-37-SAA	-			CS-RSM10	MD-S0220	✓
	C1 WP ø5.0	133-50	Ti	-	-	-	-	-	133-50-SAA	-			CW-RSM10	MD-S0220	✓
	C1 Multi Unit Standard	134-01	-	Ti TIA Co Zi	-	-	-	-	134-01-SAO	-			MU-RSM48	MU-S0220	✓
Nobel Biocare®	Replace Select® - NP	011-35	Ti Co Zi	Ti TIA Co Zi	-	-	-	1	011-35-SA	011-01-KIT	✓	✓	29498	36818	✓
	Replace Select® - RP	011-43	Ti Co Zi	Ti TIA Co Zi	-	-	-	-	011-43-SA		✓	✓	29500	29475	✓
	Replace Select® - WP	011-50	Ti Co Zi	Ti Co Zi	-	-	-	-	011-50-SA		✓	✓	29502	29475	✓
	Replace Select® - 6.0	011-60	Ti Co Zi	Ti Co Zi	-	-	-	-	011-60-SAA		✓	✓	29995	29475	✓
	Brånemark® - NP	012-35	Ti Co Zi	Ti TIA Co Zi	-	-	-	-	012-35-SA	012-01-KIT	✓	✓	31158	31171	✓
	Brånemark® - RP	012-40	Ti Co Zi	Ti TIA Co Zi	-	-	-	-	012-40-SA		✓	✓	31159	29283	✓
	Brånemark® - WP	012-50	Ti Co Zi	Ti TIA Co Zi	-	-	-	-	012-50-SA		✓	✓	31160	29284	✓
	Active® / CC - 3.0	014-30	Ti Co	Ti Co	-	-	-	-	014-30-SA	014-01-KIT	✓	✓	36791	37890	✓
	Active® / CC - NP	014-35	Ti Co	Ti TIA Co Zi	-	-	-	-	014-35-SA		✓	✓	34243	31171	✓
	Active® / CC - RP	014-39	Ti Co	Ti TIA Co Zi	-	-	-	-	014-39-SA		✓	✓	34244	37892	✓
	Active® / CC - WP	014-55	Ti Co	Ti Co	-	-	-	-	014-55-SAA		✓	✓	37879	37892	✓
	Multi Unit® / Multi Unit Plus - RP	013-43	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	-	013-43-SAO	013-01-KIT	✓	✓	31161/38918	29285	✓
	Multi Unit® - WP	013-50	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr	-	-	013-50-SAO		✓	✓	31162	29286	✓
	Estheticone	015-01	-	Ti Co Zi	-	-	-	-	-		-			DCB 176-0	32983
Paltop®	Direct implant 3.25	311-33	Ti Co	-	-	-	-	3	-	-			56-70015	-	-
	Direct implant 3.75/5.0	311-38	Ti Co	-	-	-	-	3	-	-			56-70002	-	-
	Multi unit abutment	312-01	-	Ti Co Zi	-	-	-	3	-	-			56-70014	80-70005	-
SIC®	SICace® SICmax®3.3	071-33	Ti Co Zi	Ti TIA Co Zi	-	-	-	-	071-XX-SA	-			936133	936658-936528	✓
	SICace® SICmax®4.2	071-42	Ti Co Zi	Ti Co Zi	-	-	-	-	071-XX-SA	-			936232	936658-936528	✓
	SICace® Bar & Bridge	072-01	-	Ti Co Zi	-	-	-	-	072-01-SAO	-			936691/936692	936432	-
	SICace® Safe On Four	072-02	-	Ti Co Zi	-	-	-	3	-	-			936251	936257	-
	SICvantage®2.2	074-22	Ti	-	-	-	-	-	074-22-SAA	-			950504	950511	✓
	SICvantage®2.5	074-25	Ti	-	-	-	-	-	074-25-SAA	-			950505	936658	✓
	SICvantage®2.9	074-29	Ti	-	-	-	-	-	074-29-SAA	-			950506	936658	✓

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility			
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA			Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool	Warranty limits								
Southern Implant	Deep Conical Implant-3,0	371-30	Ti Co	Ti Co						✓	✓	LAD-DC3	TS-DC3-14	-	
	Deep Conical Implant- 3.5/4,0	371-35	Ti Co	Ti Co						✓	✓	LAD-DC4	TS-DC4-16	-	
	Deep Conical Implant- 4.5/5,0	371-45	Ti Co	Ti Co						✓	✓	LAD-DC5	TS-DC5-20	-	
	Compact Conical Abutment - 4,8	372-48		Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr				✓	✓	LAD-MC	TSH1	-	
	Compact Conical Abutment - 6,0	372-60		Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr				✓	✓	LAD-MC-60		-	
	External Hex Implant -3,0	373-30	Ti Co							✓	✓	LAD-IP	TS-P-16	-	
	External Hex Implant -3,25	373-34	Ti Co							✓	✓	LAD-IBN	TSHZ3	-	
	External Hex Implant -4,0	373-40	Ti Co	Ti Co						✓	✓	LAD-IB		-	
	External Hex Implant -5,0	373-50	Ti Co	Ti Co						✓	✓	LAD-BA		-	
	External Hex Implant -6,0	373-60	Ti Co	Ti Co						✓	✓	LAD-BBB	-		
	TRI-NEX Implant - 3,5	374-35	Ti Co	Ti Co						✓	✓	LAD-L-35	TS-L-18	-	
	TRI-NEX Implant - 4,3	374-43	Ti Co	Ti Co						✓	✓	LAD-L-43	TS-L-20	-	
	TRI-NEX Implant - 5,0	374-50	Ti Co	Ti Co						✓	✓	LAD-L-50		-	
	TRI-NEX Implant - 6,0	374-60	Ti Co	Ti Co						✓	✓	LAD-L-60		-	
	Internal Octogone IT Implant- 4,8	375-48	Ti Co	Ti Co						✓	✓	LAD-ITS	TSIT2	-	
	Internal Octogone IT Implant- 6,5	375-65	Ti Co	Ti Co						✓	✓	LAD-IT6		-	
	Internal Hex M -3,7/4,2/5	376-35	Ti Co	Ti Co						✓	✓	LAD-M	TS-Z-18	-	
Internal Hex M-P45 -3,7/4,2/5	376-45	Ti Co	Ti Co						✓	✓	LAD-M-P45	-			
Internal Hex -7,0/8,0/9,0	376-57	Ti Co	Ti Co						✓	✓	LAD-Z	-			
Sweden & Martina®	Premium / Kohno 3.8	331-38	Ti Co Zi	Ti Co	-			331-38-SA	-			A-ANA-380	VM2-180-10	✓	
	Premium / Kohno 4.25	331-42	Ti Co Zi	Ti Co	-			331-42-SA	-			A-ANA-425	VM2-200-10	✓	
	Premium / Kohno 5.0	331-50	Ti Co Zi	Ti Co	-			331-X0-SA	-			A-ANA-500	VM2-200-10	✓	
	Premium / Kohno 6.0	331-60	Ti Co Zi	Ti Co	-			331-X0-SA	-			A-ANA-600	VM2-200-10	✓	
TBR®	OI ø3.5mm	283-35	Ti Co Zi	Ti Co Zi	-			-	-			O-RL300	-	✓	
	OI ø4.0mm	283-40	Ti Co Zi	Ti Co Zi	-			-	-			O-RL400	-	✓	
	OI ø5.0mm	283-50	Ti Co Zi	Ti Co Zi	-			-	-			O-RL500	-	✓	
	HE ø3.5mm	282-35	Ti Co Zi	Ti Co Zi	-			-	-			H-RL300	-	✓	
	HE ø4.0mm	282-40	Ti Co Zi	Ti Co Zi	-			-	-			H-RL400	-	✓	
	HE ø5.0mm	282-50	Ti Co Zi	Ti Co Zi	-			-	-			H-RL500	-	✓	
	Pilier Conique 3.5	281-01	-	Ti Co Zi	-			-	-			HO-HP300	HO-VIP026	✓	
Pilier Conique 4.0	281-02	-	Ti Co Zi	-			-	-			HP400	HO-VIP026	✓		
Pilier Conique 5.0	281-03	-	Ti Co Zi	-			-	-			HP500	HO-VIP026	✓		
Thommen Medical®	Direct System Yellow	221-35	Ti Co	Ti Co	-			221-35-SA	220-01-KIT			3.03.090	4.03.500	-	
	Direct System Green	221-40	Ti Co	Ti TIA Co	-			221-40-SA					3.03.095	4.03.501	-
	Direct System Blue	221-45	Ti Co Zi	Ti TIA Co Zi	-			221-45-SA					3.03.091	4.03.501	-
	Direct System Grey	221-50	Ti Co Zi	Ti TIA Co Zi	-			221-50-SA					3.03.092	4.03.501	-
	Direct System Purple	221-60	Ti Co Zi	Ti TIA Co Zi	-			221-60-SA					3.03.093	4.03.501	-
	SPI® VARIOmulti	222-01	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr		222-01-SAO					3.03.800	4.03.507	-
Victory®	Monobloc Piller Conique	270-01	-	Ti Co Zi	-			270-01-SAO	-			APC	VFT-M1.4	-	
	Monobloc Piller de Conversion	270-02	Ti Co Zi	Ti TIA Co Zi	-			270-02-SAO	-			AN-M	VFT-M1.4	-	
	Direct implant AHI	271-01	Ti Co Zi	Ti Co Zi	-			271-01-SAO	-			AHI	VFO-M2	-	
	Direct implant ACI	271-02	-	Ti Co Zi	-			271-02-SAO	-			ACI	VFO-M2	-	
	Implant OI 3.3	272-36	Ti Co Zi	Ti Co Zi	-			155-35-SA	-			AIO-3,3	VFT-M2-5.6	-	
	Implant OI 3.75	272-45	Ti Co Zi	Ti TIA Co Zi	-			155-35-SA	-			AN-OI-3,75	VFT-M2-5.6	-	
Zimmer Dental®	Tapered Screw Vent®3.5	051-35	Ti Co	Ti TIA Co Zi	-			051-35-SA	051-01-KIT	✓	✓	IA3	MHLAS	✓	
	Tapered Screw Vent®4.5	051-45	Ti Co	Ti TIA Co Zi	-			051-45-SA			✓	✓	IA4	MHLAS	✓
	Tapered Screw Vent®5.7	051-57	Ti Co	Ti Co Zi	-			051-57-SA			✓	✓	IA5	MHLAS	✓
	Etetic 2.9	052-29	Ti Co	-	-			-	-	✓	✓	CIANP	CUAS	-	
	Conical 3.5/4.5/5.7	053-01	-	Ti TIA Co Zi	Ti TIA Co Zi	Anthogyr		053-01-SAO	053-01-KIT			ACTR	SCTS	✓	
	Spline® Conical 4.5	054-01	-	Ti Co Zi	-			054-01-SAO					1657	1621	-
Spline® Conical 6.5	054-02	-	Ti Co Zi	-			054-01-SAO					1660	1621	-	

Zirconia Restoration on Titanium Base

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility		
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool								Warranty limits
Straumann®	STRAUMANN Variobase SynOcta® - NNC D3.9 AH3.75	021-35	Zi						✓	✓		048.709		
	STRAUMANN Variobase SynOcta® - NNC D3.9 AH5.75	021-35	Zi						✓	✓		022.0021		
	STRAUMANN Variobase SynOcta® - NNC D4.2 AH 3.5	021-35		Zi					✓	✓		048.377		
	STRAUMANN Variobase SynOcta® - RN D5.05 AH 4.0	021-48	Zi						✓	✓		048.710		
	STRAUMANN Variobase SynOcta® - RN D5.05 AH 6.0	021-48	Zi						✓	✓		022.0022		
	STRAUMANN Variobase SynOcta® - RN D5 AH3.5	021-48		Zi					✓	✓		048.378		
	STRAUMANN Variobase SynOcta® - WN D7.0 AH4.5	021-65	Zi						✓	✓		048.711		
	STRAUMANN Variobase SynOcta® - WN D7.0 AH6.5	021-65	Zi						✓	✓		022.0023		
	STRAUMANN Variobase SynOcta® - WN D7.0 AH3.5	021-65		Zi					✓	✓		048.379		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH3.5 GH1.0	022-33	Zi						✓	✓		025.2921		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH3.5 GH2.0	022-33	Zi						✓	✓		022.0102		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH3.5 GH2.0	022-33	Zi						✓	✓		022.0104		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH5.5 GH1.0	022-33	Zi						✓	✓		022.0027		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH5.5 GH2.0	022-33	Zi						✓	✓		022.0106		
	STRAUMANN Variobase Bone Level® - NC D3.8 AH5.5 GH3.0	022-33	Zi						✓	✓		022.0108		
	STRAUMANN Variobase Bone Level® - NC	022-33		Zi					✓	✓		022.0110		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH3.5 GH1.0	022-41	Zi						✓	✓		025.4921		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH3.5 GH2.0	022-41	Zi						✓	✓		022.0103		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH3.5 GH3.0	022-41	Zi						✓	✓		022.0105		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH5.5 GH1.0	022-41	Zi						✓	✓		022.0026		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH5.5 GH2.0	022-41	Zi						✓	✓		022.0107		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH5.5 GH2.0	022-41	Zi						✓	✓		022.0109		
	STRAUMANN Variobase Bone Level® - RC D4.5 AH3.5	022-41		Zi					✓	✓		022.0111		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH3.5 GH1.5	027-27	Zi						✓	✓		062.4934		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH5.5 GH1.5	027-27	Zi						✓	✓		062.4944		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH5.5 GH2.5	027-27	Zi						✓	✓		062.4945		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH5.5 GH3.5	027-27	Zi						✓	✓		062.4946		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH3.5 GH2.5	027-27	Zi						✓	✓		062.4935		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH3.5 GH3.5	027-27	Zi						✓	✓		062.4936		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH5.5 GH1.5	027-27	Zi						✓	✓		062.4934		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH5.5 GH2.5	027-27	Zi						✓	✓		062.4935		
	STRAUMANN Variobase BLX® RB/WB D3.8 AH5.5 GH3.5	027-27	Zi						✓	✓		062.4936		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH3.5 GH1.5	027-27	Zi						✓	✓		062.4944		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH3.5 GH2.5	027-27	Zi						✓	✓		062.4945		
	STRAUMANN Variobase BLX® RB/WB D4.5 AH3.5 GH3.5	027-27	Zi						✓	✓		062.4946		
	STRAUMANN Variobase BLX® RB/WB RB	027-27		Zi					✓	✓		062.4961		
	STRAUMANN Variobase BLX® WB D5.5 AH3.5 GH0.75	027-41	Zi						✓	✓		062.4983		
	STRAUMANN Variobase BLX® WB D5.5 AH3.5 GH1.5	027-41	Zi						✓	✓		062.4983		
	STRAUMANN Variobase BLX® WB D5.5 AH5.5 GH0.75	027-41	Zi						✓	✓		062.4953		
	STRAUMANN Variobase BLX® WB D5.5 AH5.5 GH1.5	027-41	Zi						✓	✓		062.4954		

Implant Platform			Machining possibility					Scan-Adapter Reference for Laboratory		Compatible accessories / library		Compatibility		
Suppliers	Platforms	References	Straight channel		Angulated screw channel AA		Single unit	Kit	Original Manufacturer	Compatible manufacturer	Replica	Original Screws on straight channel	Available screws on straight channel	
			Indexed	Rotational	Rotational	AA Tool								Warranty limits
Straumann®	STRAUMANN Variobase TLX NT D4.0 AH3.5	028-35	ZI						✓	✓		037.0201		
	STRAUMANN Variobase TLX NT D4.0 AH5.5	028-35	ZI						✓	✓		037.0201		
	STRAUMANN Variobase TLX Variobase SRBB NT	028-35		ZI					✓	✓		037.0204		
	STRAUMANN Variobase TLX RT D5.0 AH4.0	028-48	ZI						✓	✓		037.1201		
	STRAUMANN Variobase TLX RT D5.0 AH6.0	028-48	ZI						✓	✓		037.1201		
	STRAUMANN Variobase TLX Variobase SRBB RT	028-48		ZI					✓	✓		037.1204		
	STRAUMANN Variobase TLX WT D7.0 AH4.5	028-65	ZI						✓	✓		037.2201		
	STRAUMANN Variobase TLX WT D7.0 AH6.5	028-65	ZI						✓	✓		037.2201		
	STRAUMANN Variobase TLX Variobase SRBB WT	028-65		ZI					✓	✓		037.2204		
CAMLOG®	ScrewLine® 3.3 - Titan Basis	191-33	Co ZI	-	-	-	191-33-SA	191-01-KIT			K3010.3300	Included	✓	
	ScrewLine® 3.8 - Titan Basis	191-38	Co ZI	-	-	-	191-38-SA				K3010.3800	Included	✓	
	ScrewLine® 4.3 - Titan Basis	191-43	Co ZI	-	-	-	191-43-SA				K3010.4300	Included	✓	
	ScrewLine® 5.0 - Titan Basis	191-50	Co ZI	-	-	-	191-XX-SA				K3010.5000	Included	✓	
	ScrewLine® 6.0 - Titan Basis	191-60	Co ZI	-	-	-	191-XX-SA				K3010.6000	Included	✓	
	CONOLOG® 3.3 - Titan Basis	194-33	Co ZI	-	-	-	194-33-SAA	194-01-KIT	✓	✓	C3010.3300	Included	✓	
	CONOLOG® 3.8 - Titan Basis	194-38	Co ZI	-	-	-	194-38-SAA	-	✓	✓	C3010.3800	Included	✓	
	CONOLOG® 4.3 - Titan Basis	194-43	Co ZI	-	-	-	194-38-SAA	-	✓	✓	C3010.4300	Included	✓	
	CONOLOG® 5.0 - Titan Basis	194-50	Co ZI	-	-	-	194-50-SAA	-			C3010.5000	Included	✓	
Southern Implant	Deep Conical Implant-3,0 - Passive Abutment	371-30	ZI	ZI					✓	✓	LAD-DC3	PA-DC3	-	
	Deep Conical Implant- 3.5/4,0 - Passive Abutment	371-35	ZI	ZI					✓	✓	LAD-DC4	PA-DC4	-	
	Deep Conical Implant- 4.5/5,0 - Passive Abutment	371-45	ZI	ZI					✓	✓	LAD-DC5	PA-DC5	-	
	Compact Conical Abutment - 4,8 - Passive Abutment	372-48		ZI					✓	✓	LAD-MC			
	Compact Conical Abutment - 6,0 - Passive Abutment	372-60		ZI					✓	✓	LAD-MC-60			
	External Hex Implant -3,0 - Passive Abutment	373-30	TI Co ZI	TI Co ZI					✓	✓	LAD-IP	PA: SP16 Scw: TS-P-16	-	
	External Hex Implant -3,25 - Passive Abutment	373-34	TI Co ZI	TI Co ZI					✓	✓	LAD-IBN	PA: SBN16 Scw: TSHZ2	-	
	External Hex Implant -4,0 - Passive Abutment	373-40	ZI	ZI					✓	✓	LAD-IB	PA: SB16 (i) / SB17(r) Scw: TSHZ2	-	
	External Hex Implant -5,0 - Passive Abutment	373-50	ZI	ZI					✓	✓	LAD-BA	PA: SBA16 Scw: TSHZ2	-	
	External Hex Implant -6,0 - Passive Abutment	373-60	ZI	ZI					✓	✓	LAD-BBB	PA: SBB816 Scw: TSHZ2	-	
	TRI-NEX Implant - 3,5 - Passive Abutment	374-35	ZI	ZI					✓	✓	LAD-L-35	PA: PA-EL-35 Scw: PA-L-18	-	
	TRI-NEX Implant - 4,3 - Passive Abutment	374-43	ZI	ZI					✓	✓	LAD-L43	PA: PA-EL-43 Scw: PA-L-20	-	
	TRI-NEX Implant - 5,0 - Passive Abutment	374-50	ZI	ZI					✓	✓	LAD-L-50	PA: PA-EL-50 Scw: PA-L-20	-	
	TRI-NEX Implant - 6,0 - Passive Abutment	374-60	ZI	ZI					✓	✓	LAD-L-60	PA: PA-EL-60 Scw: PA-L-20	-	
	Internal Octogone IT Implant- 4,8 - Passive Abutment	375-48	ZI	ZI					✓	✓	LAD-ITS	PA: ITS-PA Scw: TS-IT-PA	-	
	Internal Octogone IT Implant- 6,5 - Passive Abutment	375-65	ZI	ZI					✓	✓	LAD-IT6	PA: ITS6-PA Scw: TS-IT-PA	-	
	Internal Hex M - 3,7/4,2/5 - Passive Abutment	376-35	ZI	ZI					✓	✓	LAD-M	PA: PA-EM-5 Scw: PA-M-18T	-	
	Internal Hex M-P45 - 3,7/4,2/5 - Passive Abutment	376-45	ZI	ZI					✓	✓	LAD-M-P45	PA: PA-EM-SP45 Scw: PA-M-18T	-	
Internal Hex Z - 7,0/8,0/9,0 - Passive Abutment	376-57	ZI	ZI					✓	✓	LAD-Z	PA: PA-EZ Scw: PA-M-18T	-		