GREATNESS IS AN ACHIEVEMENT

GRAND MORSE®

GM Abutments
with Removable Screw

THE GM ABUTMENTS WERE REDESIGNED
BRINGING **SOME AMAZING NEW FEATURES:**

- Removal of unlocking feature;
- Floating screws converted to removable screws;
- Replacement screws now offered for all abutments;
- Internal threads added to keep the screws from falling and to make it easier to remove the abutment, when necessary (see image);
- Removers for abutments and screws;
- The workflow and other accessories remain the same.



New article numbers were created, and they will gradually replace the existing ones. The launch was divided into groups, as shown below along with expected product availability in the warehouses NAM and Basel.

GROUP 1 — AVAILABILITY MAY/2021

GM Exact Abutment

0.8 mm	1.5 mm	2.5 mm
115.237	115.238	115.239
3.5 mm	**4.5 mm**	**5.5 mm**
115.240	115.241	115.242

NEW

GM Exact Abutment with **Neo Removable Screw**

0.8 mm	1.5 mm	2.5 mm
115.269	115.270	115.271
3.5 mm	**4.5 mm**	**5.5 mm**
115.272	115.273	115.274

NEW

Replacement Neo Screws

116.290	Neo GM Screw (Short) - for GM Exact Abutment with 0.8 GH
116.291	Neo GM Screw - for abutments with 0.8-2.5 GH
116.292	Neo GM Screw (Long) - for abutments with 3.5-5.5 GH and all Titanium Bases

GM Pro Peek Abutment

0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm	
114.738	114.739	114.740	114.741	114.742	114.743	Ø 4.5
114.744	114.745	114.746	114.747	114.748	114.749	Ø 6.0

NEW

GM Pro Peek Abutment with **Neo Removable Screw**

0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm	
114.874	114.875	114.876	114.877	114.878	114.879	Ø 4.5
114.880	114.881	114.882	114.883	114.884	114.885	Ø 6.0

GM Anatomic Abutment

1.5 mm	2.5 mm	3.5 mm	
114.752	114.753	114.754	
114.755	114.756	114.757	17°

GM Lateral Anatomic Abutment

1.5 mm	2.5 mm	3.5 mm	
114.758	114.759	114.760	
114.761	114.762	114.763	17°

GM Anatomic Abutment with **Neo Removable Screw**

NEW

1.5 mm	2.5 mm	3.5 mm	
114.862	114.863	114.864	
114.865	114.866	114.867	17°

GM Lateral Anatomic Abutment with **Neo Removable Screw**

NEW

1.5 mm	2.5 mm	3.5 mm	
114.868	114.869	114.870	
114.871	114.872	114.873	17°

GROUP 2 — AVAILABILITY MAY/2021

NEW

Removal Sets for Abutments with internal threads and Neo Screws

Short	Long
130.117	130.116

NEW

Remover for Abutments with internal threads

Short	Long
130.118	130.114

NEW

Remover for Neo Screws

Short	Long
130.119	130.115

GM Exact Titanium Base 4mm

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.260	135.261	135.262	135.263	135.264
Ø 4.5	135.272	135.273	135.274	135.275	135.276
Ø 5.5	135.284	135.285	135.286	135.287	135.288
Ø 6.5		135.319	135.320	135.321	135.322

NEW

GM Exact Titanium Base with **Neo Removable Screw** 4mm

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.355	135.356	135.357	135.358	135.359
Ø 4.5	135.367	135.368	135.369	135.370	135.371
Ø 5.5	135.379	135.380	135.381	135.382	135.383
Ø 6.5		135.391	135.392	135.393	135.394

GM Exact Titanium Base 6mm

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.266	135.267	135.268	135.269	135.270
Ø 4.5	135.278	135.279	135.280	135.281	135.282
Ø 5.5	135.290	135.291	135.292	135.293	135.294
Ø 6.5		135.323	135.324	135.325	135.326

NEW GM Exact Titanium Base with **Neo Removable Screw** 6mm

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.361	135.362	135.363	135.364	135.365
Ø 4.5	135.373	135.374	135.375	135.376	135.377
Ø 5.5	135.385	135.386	135.387	135.388	135.389
Ø 6.5		135.395	135.396	135.397	135.398

GM Titanium Base for Bridge

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm
Ø 3.5	135.304	135.305	135.306	135.307	135.308
Ø 4.5	135.309	135.310	135.311	135.312	135.313
Ø 5.5	135.314	135.315	135.316	135.317	135.318

NEW GM Titanium Base for Bridge with **Neo Removable Screw**

0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	
135.399	135.400	135.401	135.402	135.403	Ø 3.5
135.404	135.405	135.406	135.407	135.408	Ø 4.5
135.409	135.410	135.411	135.412	135.413	Ø 5.5

Titanium Base C for GM Exact

	0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
Ø 4.65	135.229	135.230	135.231	135.232	135.233	135.234

NEW Titanium Base C for GM Exact with Neo Removable Screw

0.8 mm	1.5 mm	2.5 mm		
135.349	135.350	135.351	Ø 4.65	
3.5 mm	4.5 mm	5.5 mm		
135.352	135.353	135.354	Ø 4.65	

GROUP 3 — AVAILABILITY MAR/2022

GM Exact Click Universal Abutment

		0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
4 mm	Ø 3.3	114.566	114.567	114.568	114.569	114.570	114.571
	Ø 4.5	114.578	114.579	114.580	114.581	114.582	114.583
6 mm	Ø 3.3	114.572	114.573	114.574	114.575	114.576	114.577
	Ø 4.5	114.584	114.585	114.586	114.587	114.588	114.589

GM Exact Click Universal Abutment 17°

		1.5 mm	2.5 mm	3.5 mm
4 mm	Ø 3.3	114.542	114.543	114.544
	Ø 4.5	114.548	114.549	114.550
6 mm	Ø 3.3	114.545	114.546	114.547
	Ø 4.5	114.551	114.552	114.553

GM Exact Click Universal Abutment 30°

		1.5 mm	2.5 mm	3.5 mm
4 mm	Ø 3.3	114.554	114.555	114.556
	Ø 4.5	114.560	114.561	114.562
6 mm	Ø 3.3	114.557	114.558	114.559
	Ø 4.5	114.563	114.564	114.565

NEW GM Exact Click Universal Abutment with Neo Removable Screw

		0.8 mm	1.5 mm	2.5 mm	3.5 mm	4.5 mm	5.5 mm
4 mm	Ø 3.3	114.826	114.827	114.828	114.829	114.830	114.831
	Ø 4.5	114.838	114.839	114.840	114.841	114.842	114.843
6 mm	Ø 3.3	114.832	114.833	114.834	114.835	114.836	114.837
	Ø 4.5	114.844	114.845	114.846	114.847	114.848	114.849

NEW GM Exact Click Universal Abutment 17° with Neo Removable Screw

		1.5 mm	2.5 mm	3.5 mm
4 mm	Ø 3.3	114.802	114.803	114.804
	Ø 4.5	114.808	114.809	114.810
6 mm	Ø 3.3	114.805	114.806	114.807
	Ø 4.5	114.811	114.812	114.813

NEW GM Exact Click Universal Abutment 30° with Neo Removable Screw

		1.5 mm	2.5 mm	3.5 mm
4 mm	Ø 3.3	114.814	114.815	114.816
	Ø 4.5	114.820	114.821	114.8222
6 mm	Ø 3.3	114.817	114.818	114.819
	Ø 4.5	114.823	114.824	114.825

GROUP 4 — AVAILABILITY MAR/2022

GM Exact Mini Conical Abutment 17°/30°/45°

	1.5 mm	2.5 mm	3.5 mm
17°	115.249	115.250	115.251
30°	115.252	115.253	115.254
45°	115.267	115.268	

NEW GM Exact Mini Conical Abutment 17°/30°/45°,with Neo Removable Screw

	1.5 mm	2.5 mm	3.5 mm
17°	115.275	115.276	115.277
30°	115.278	115.279	115.280
45°	115.281	115.282	

NEODENT®
A Straumann Group Brand