



A reliable connection that endures.

Straumann® Novaloc® Retentive System.

When durability and longevity matter.

The Novaloc Retentive System for overdentures offers both a straight and a 15° angled abutment, covering a broad range of clinical implant situations while accommodating up to 60° implant divergence. With its durable PEEK¹ Matrices, the Novaloc Retentive System provides a reliable connection that was built to last. Let your patients profit from a low maintenance, high comfort solution that endures.

| VERSATILITY

Novaloc® Abutment, straight and angled

- Compatible with the standard SCS Screwdriver:
 - One tool fits all
 - Self-retaining system
- Gingiva height and implant platform laser marked on abutment for clear identification
- Available on all Straumann implant platforms (RN, WN, NNC, RC, NC)
- 6 gingiva heights for the straight abutment
- 5 gingiva heights for the angled abutment

| FLEXIBILITY

Novaloc® Abutment, 15° angled

Restore situations with high implant divergence:

- Align a common prosthetic insertion axis up to 60° implant divergence
- Reduce unilateral stress and wear





PATIENT COMFORT

- Matrix audibly and tangibly snaps into place, ensuring correct seating of the prosthesis
- Angled abutments align the prosthetic insertion axis enabling exact insertion
- Small SCS drive mechanism of the straight abutment reduces accumulation of debris



ORIGINAL

Rely on the original implant-abutment connection

- Perfectly matching components
- Excellent service and support



PERFORMANCE

The materials PEEK¹ contribute to:

- PEEK¹ matrix inserts offer excellent chemical and physical properties
- Matrix accommodates up to 40° prosthetic insertion between two implants
- 6 retention strengths offer optimal adjustment of the denture retention
- Matrix housing available in titanium or color-neutral PEEK¹



For more information on our new retentive solution please contact your local Straumann representative.

1 PEEK: Poly Ether Ether Ketone 2 Titanium-Nitride 3 Titanium Aluminum Vanadium

Straumann North American Headquarters

ifu.straumann.com

Straumann USA, LLC
60 Minuteman Road
Andover, MA 01810
Phone 800/448 8168 (US) • 800/363 4024 (CA)
Fax 978/747 2490
www.straumann.us • www.straumann.ca